



## ElectriCinema Type A

The premium projection screen of choice  
SIZES 72" - 100"

The ElectriCinema has long been the premium projection screen of choice in the AV industry, with all the high quality features that you expect from a Screen Technics product: rugged design, contemporary good looks, and ease of installation with the universal bracket system.


### Market Segments:



Corporate  
Events



Government



Worship



Hotels &  
Entertainment



Theatre




Education



### Benefits include:

- Integrated with Connect IP
- 12V trigger
- Contact closure and IR
- Ability to link and group switch with other Connect control devices.





Manufacturing tolerance +/-5mm on headbox and slatrod  
All dimensions are in (mm)  
If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date  
09/01/2020

Part Number  
06xxxxx-A

Rev  
04

**Product Features****DESCRIPTION:**

Industry leading Integrated Connect Control with IP, IR, Close Contact, 12 v Trigger and Link Switching to other Connect controlled devices

**SURFACE:**

Unity White Black Backed Fibreglass - Gain 1.1

**HEAD BOX:**

Designer headbox canister in powder coat white / black optional

**BRACKETS:**


Universal wall / ceiling bracket with full width adjustability for ease of install

**ROLLER DIAMETER:**

51mm Heavy Duty Roller for enhanced lay-flat qualities

**OTHER FEATURES:**

Power located at opposite end of headbox canister from Low Voltage Control, improving installer safety outcomes.  
C Tick Certified Australian made product

**ARCHITECTS SPECIFICATION**

The projection screen shall be an Australian made Screen Technics ElectriCinema Type A model \_\_\_\_\_ with Unity White Black Backed fibreglass surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT Kg
0607219-A	72"	1100 x 1465	Video 4:3	1790	14.0
0608419-A	84"	1280 x 1705	Video 4:3	2030	17.0
0609619-A	96"	1465 x 1950	Video 4:3	2275	18.0
0610019-A	100"	1525 x 2035	Video 4:3	2360	19.0
0607229-A	72"	895 x 1595	HDTV 16:9	1920	15.0
0608429-A	84"	1045 x 1860	HDTV 16:9	2185	17.0
0609229-A	92"	1145 x 2035	HDTV 16:9	2360	18.0
0609629-A	96"	1195 x 2125	HDTV 16:9	2450	19.0
0610029-A	100"	1245 x 2215	HDTV 16:9	2540	19.0
0607269-A	72"	970 x 1550	16:10	1875	15.0
0608469-A	84"	1130 x 1810	16:10	2135	18.0
0609269-A	92"	1240 x 1980	16:10	2305	18.0
0609669-A	96"	1295 x 2070	16:10	2395	19.0
0610069-A	100"	1345 x 2155	16:10	2480	19.0

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

**INTRODUCING THE ELECTRICINEMA HI CONTRAST GREY**

When you don't have full control of ambient light conditions, grey assists the projector in improving black in the spectrum by shifting the contrast band towards the darker scale. This improves overall colour saturation, but with the loss of some brightness normally well compensated for by today's projectors.

**Product Features****DESCRIPTION:**

Industry leading Integrated Connect Control with IP, IR, Close Contact, 12 v Trigger and Link Switching to other Connect controlled devices

**HEAD BOX:**

Designer headbox canister in powder coat white / black optional

**ROLLER DIAMETER:**

51mm Heavy Duty Roller for enhanced lay-flat qualities

**SURFACE:**

Hi Contrast Grey Black Backed Fibreglass - Gain 0.8


**BRACKETS:**

Universal wall / ceiling bracket with full width adjustability for ease of install

**OTHER FEATURES:**

Power located at opposite end of headbox canister from Low Voltage Control, improving installer safety outcomes.

C Tick Certified Australian made product



ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT Kg
0607218-A	72"	1100 x 1465	Video 4:3	1790	14.0
0608418-A	84"	1280 x 1705	Video 4:3	2030	17.0
0609618-A	96"	1465 x 1950	Video 4:3	2275	18.0
0610018-A	100"	1525 x 2035	Video 4:3	2360	19.0
0607228-A	72"	895 x 1595	HDTV 16:9	1920	15.0
0608428-A	84"	1045 x 1860	HDTV 16:9	2185	17.0
0609228-A	92"	1145 x 2035	HDTV 16:9	2360	18.0
0609628-A	96"	1195 x 2125	HDTV 16:9	2450	19.0
0610028-A	100"	1245 x 2215	HDTV 16:9	2540	19.0
0607268-A	72"	970 x 1550	16:10	1875	15.0
0608468-A	84"	1130 x 1810	16:10	2135	18.0
0609268-A	92"	1240 x 1980	16:10	2305	18.0
0609668-A	96"	1295 x 2070	16:10	2395	19.0
0610068-A	100"	1345 x 2155	16:10	2480	19.0

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

**ARCHITECTS SPECIFICATION**

The projection screen shall be an Australian made Screen Technics ElectriCinema Type A model \_\_\_\_\_ with Hi Contrast Grey Black Backed fibreglass surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions



**INTRODUCING THE ELECTRICINEMA EMBER GREY**

When you don't have full control of ambient light conditions, grey assists the projector in improving black in the spectrum by shifting the contrast band towards the darker scale. This improves overall colour saturation, but with the loss of some brightness normally well compensated for by today's projectors.

**Product Features****DESCRIPTION:**

Industry leading Integrated Connect Control with IP, IR, Close Contact, 12 v Trigger and Link Switching to other Connect controlled devices

**SURFACE:**

Ember Grey Fibreglass - Gain 0.8

**HEAD BOX:**

Designer headbox canister in powder coat white / black optional

**BRACKETS:**

Universal wall / ceiling bracket with full width adjustability for ease of install


**ROLLER DIAMETER:**

51mm Heavy Duty Roller for enhanced lay-flat qualities

**OTHER FEATURES:**

Power located at opposite end of headbox canister from Low Voltage Control, improving installer safety outcomes.

C Tick Certified Australian made product



ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT Kg
0607212-A	72"	1100 x 1465	Video 4:3	1790	14.0
0608412-A	84"	1280 x 1705	Video 4:3	2030	17.0
0609612-A	96"	1465 x 1950	Video 4:3	2275	18.0
0610012-A	100"	1525 x 2035	Video 4:3	2360	19.0
0607222-A	72"	895 x 1595	HDTV 16:9	1920	15.0
0608422-A	84"	1045 x 1860	HDTV 16:9	2185	17.0
0609222-A	92"	1145 x 2035	HDTV 16:9	2360	18.0
0609622-A	96"	1195 x 2125	HDTV 16:9	2450	19.0
0610022-A	100"	1245 x 2215	HDTV 16:9	2540	19.0
0607262-A	72"	970 x 1550	16:10	1875	15.0
0608462-A	84"	1130 x 1810	16:10	2135	18.0
0609262-A	92"	1240 x 1980	16:10	2305	18.0
0609662-A	96"	1295 x 2070	16:10	2395	19.0
0610062-A	100"	1345 x 2155	16:10	2480	19.0

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

**ARCHITECTS SPECIFICATION**

The projection screen shall be an Australian made Screen Technics ElectriCinema Type A model \_\_\_\_\_ with an Ember Grey Fibreglass surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions