



ElectricCinema Type D

The premium projection screen of choice
SIZES 200" - 300"

The ElectricCinema has long been the premium projection screen of choice in the AV industry, with all the high quality features that you expect from a Screen Technics product: rugged design, contemporary good looks, and ease of installation with the universal bracket system.

Market Segments:



Corporate
Events



Government



Worship



Hotels &
Entertainment



Theatre




Education

Benefits include:

- Integrated with Connect IP
- 12V trigger
- Contact closure and IR
- Ability to link and group switch with other Connect control devices.





NOTES:

Minimum 8 x M10 load rated eyebolts to be used for fixing

Manufacturing tolerance +/- 10mm on headbox & slat rod
All dimensions are in (mm)
If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date
16/07/2019

Part Number
06xxxxx-D

Rev
02

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Intergrated IP, 12v Trigger, contact closure & IR Remote Controlv Trigger and Link Switching to other Connect controlled devices

SURFACE:

Fire rated welded Unity white Front projection surface (not black backed) - Gain 1.0
Refer to screen material options for additional surface options

HEAD BOX:

Colour to be specified at time of order, standard powder coat options are White or Black, Custom colours are available upon request

SIZES:

200" Diagonal to 300" Diagonal. Custom Sizes & Formats available upon request

BRACKETS:

Load Rated M10 Eyebolts

ROLLER DIAMETER:

150mm Heavy Duty

BORDERS:


50mm Sides & bottom with adjustable top black leader. Leader length needs to be specified at time of order. Standard is 300mm. Any extra top leader must be used if ordered as layflat will be affected

OPTIONS:

Extra Top Masking - RF RTS Remote or 4 Core Wall Switch
Custom power coat colour.
*Power 240 volt single phase 4 Amps.

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT KG
0620019-D	200"	3050 x 4065	Video 4:3	4615	135.0
0622519-D	225"	3430 x 4570	Video4:3	5120	145.0
0625019-D	250"	3810 x 5080	Video 4:3	5630	160.0
0627519-D	275"	4190 x 5590	Video 4:3	6140	170.0
0630019-D	300"	4570 x 6100	Video 4:3	6650	185.0
0620029-D	200"	2490 x 4425	HDTV 16:9	4975	140.0
0622529-D	225"	2800 x 4980	HDTV 16:9	5530	155.0
0625029-D	250"	3115 x 5535	HDTV 16:9	6085	170.0
0627529-D	275"	3425 x 6085	HDTV 16:9	6635	185.0
0620069-D	200"	2695 x 4310	16:10	4860	140.0
0622569-D	225"	3030 x 4850	16:10	5400	150.0
0625069-D	250"	3365 x 5385	16:10	5935	165.0
0627569-D	275"	3705 x 5925	16:10	6475	180.0

Manufacturing tolerance +/- 10mm on headbox & slat rod
All dimensions are in (mm)
If installed in ceiling always allow for removal for servicing.



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Type D model _____ with Matt White PVC surface and shall be located where indicated on the plans.
Installation shall be done in accordance with the manufacturer's instructions



AUSTRALIA

22-24 Suttor Road

Moss Vale NSW 2577

+61 2 4869 2100

screeentechnics.com.au • info@screeentechnics.com.au

NEW ZEALAND

44 Mahana Road

Te Rapa, Hamilton

+0800 022 821