



ElectriCinema Side Tension - Type B Version

The ultimate experience in a motorised screen

SIZES 84" - 140"

The side tension system offers the ultimate experience in a motorised projection screen, providing the best possible lay flat with its large diameter roller, and side tensioning system that pulls the screen flat. Suitable for home theatre.

Market Segments:



Corporate Events



Government



Worship



Trade Shows



Theatre



Education

CONTROL

Fully integrated with Connect IP, 12V trigger, contact closure and IR plus the ability to link and group switch with other Connect control devices.


SHORT THROW PROJECTORS

The ElectriCinema Side Tension screen is the only retractable screen suitable for use with a short throw projector. For the best results we recommend using the CinemaSnap range.

Benefits include:

- Excellent lay flat
- Quiet operation
- Reliability
- Fully integrated with Connect IP





Manufacturing tolerance +/- 5mm on headbox & slatrod.
All dimensions are in (mm)
If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date
16/07/2019

Rev
02

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

SURFACE:

Unity White Black Backed PVC - Gain 1.0

HEAD BOX:

Powder Coat White as standard Black as same cost option

BORDERS:

50mm Sides with 300mm adjustable top black leader

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

SIZES:

84" to 140" Diagonally, Custom Sizes & Formats available upon request

ROLLER DIAMETER:


81mm Heavy Duty

OPTIONS:

Extra Top Masking, RF RTS Remote, custom powder coat colours

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team



ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT kg
0608419-STB-B	84"	1280 x 1705	Video 4:3	Seek Advice*	26.0
0609619-STB-B	96"	1460 x 1950	Video 4:3	Seek Advice*	28.0
0610019-STB-B	100"	1525 x 2035	Video 4:3	Seek Advice*	29.0
0611519-STB-B	115"	1755 x 2340	Video 4:3	Seek Advice*	34.0
0612019-STB-B	120"	1830 x 2440	Video 4:3	Seek Advice*	35.0
0613019-STB-B	130"	1980 x 2640	Video 4:3	Seek Advice*	37.0
0608429-STB-B	84"	1045 X 1860	HDTV 16:9	Seek Advice*	28.0
0609229-STB-B	92"	1145 X 2035	HDTV 16:9	Seek Advice*	30.0
0609629-STB-B	96"	1195 X 2125	HDTV 16:9	Seek Advice*	31.0
0610029-STB-B	100"	1245 X 2215	HDTV 16:9	Seek Advice*	32.0
0611029-STB-B	110"	1370 x 2435	HDTV 16:9	Seek Advice*	34.0
0611529-STB-B	115"	1430 x 2545	HDTV 16:9	Seek Advice*	35.0
0612029-STB-B	120"	1495 x 2655	HDTV 16:9	Seek Advice*	37.0
0613029-STB-B	130"	1615 x 2880	HDTV 16:9	Seek Advice*	40.0
0614029-STB-B	140"	1740 X 3100	HDTV 16:9	Seek Advice*	44.0
0608469-STB-B	84"	1130 x 1810	16:10	Seek Advice*	27.0
0609269-STB-B	92"	1240 x 1980	16:10	Seek Advice*	29.0
0609669-STB-B	96"	1295 x 2070	16:10	Seek Advice*	30.0
0610069-STB-B	100"	1345 x 2155	16:10	Seek Advice*	32.0
0611069-STB-B	110"	1480 x 2370	16:10	Seek Advice*	34.0
0612069-STB-B	120"	1615 x 2585	16:10	Seek Advice*	36.0
0613069-STB-B	130"	1750 x 2800	16:10	Seek Advice*	39.0
0614069-STB-B	140"	1885 x 3015	16:10	Seek Advice*	43.0

ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type B model _____ with Unity White Black Backed PVC surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions



AUSTRALIA

22-24 Suttor Road

Moss Vale NSW 2577

+61 2 4869 2100

screeentechnics.com.au • info@screeentechnics.com.au

NEW ZEALAND

44 Mahana Road

Te Rapa, Hamilton

+0800 022 821

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

*Should additional leader be required the headbox length will increase

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

SURFACE:

Hi Contrast Grey PVC - Gain 0.8

HEAD BOX:

Powder Coat White as standard Black as same cost option

BORDERS:

50mm Sides with 300mm adjustable top black leader

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

SIZES:

84" to 140" Diagonally, Custom Sizes & Formats available upon request

ROLLER DIAMETER:


81mm Heavy Duty

OPTIONS:

Extra Top Masking, RF RTS Remote, custom powder coat colours

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team



ITEM NO	INCH DIAGONAL	IMAGE SIZE MM	FORMAT	HEADBOX SIZE MM	WEIGHT KG
0608419-STB-B	84"	1280 x 1705	Video 4:3	Seek Advice*	26.0
0609619-STB-B	96"	1460 x 1950	Video 4:3	Seek Advice*	28.0
0610019-STB-B	100"	1525 x 2035	Video 4:3	Seek Advice*	29.0
0611519-STB-B	115"	1755 x 2340	Video 4:3	Seek Advice*	34.0
0612019-STB-B	120"	1830 x 2440	Video 4:3	Seek Advice*	35.0
0613019-STB-B	130"	1980 x 2640	Video 4:3	Seek Advice*	37.0
0608429-STB-B	84"	1045 X 1860	HDTV 16:9	Seek Advice*	28.0
0609229-STB-B	92"	1145 X 2035	HDTV 16:9	Seek Advice*	30.0
0609629-STB-B	96"	1195 X 2125	HDTV 16:9	Seek Advice*	31.0
0610029-STB-B	100"	1245 X 2215	HDTV 16:9	Seek Advice*	32.0
0611029-STB-B	110"	1370 x 2435	HDTV 16:9	Seek Advice*	34.0
0611529-STB-B	115"	1430 x 2545	HDTV 16:9	Seek Advice*	35.0
0612029-STB-B	120"	1495 x 2655	HDTV 16:9	Seek Advice*	37.0
0613029-STB-B	130"	1615 x 2880	HDTV 16:9	Seek Advice*	40.0
0614029-STB-B	140"	1740 X 3100	HDTV 16:9	Seek Advice*	44.0
0608469-STB-B	84"	1130 x 1810	16:10	Seek Advice*	27.0
0609269-STB-B	92"	1240 x 1980	16:10	Seek Advice*	29.0
0609669-STB-B	96"	1295 x 2070	16:10	Seek Advice*	30.0
0610069-STB-B	100"	1345 x 2155	16:10	Seek Advice*	32.0
0611069-STB-B	110"	1480 x 2370	16:10	Seek Advice*	34.0
0612069-STB-B	120"	1615 x 2585	16:10	Seek Advice*	36.0
0613069-STB-B	130"	1750 x 2800	16:10	Seek Advice*	39.0
0614069-STB-B	140"	1885 x 3015	16:10	Seek Advice*	43.0

ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type B model _____ with Hi Contrast Grey PVC surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions



AUSTRALIA

22-24 Suttor Road

Moss Vale NSW 2577

+61 2 4869 2100

screeentechnics.com.au • info@screeentechnics.com.au

NEW ZEALAND

44 Mahana Road

Te Rapa, Hamilton

+0800 022 821

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

*Should additional leader be required the headbox length will increase

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

FEATURES:

Matrix Ash Grey is perfect for high light environments or for areas where ambient light is prevalent. City building with floor to ceiling windows is an example where light can be an issue. Matrix Ash Grey improves the brightness and contrast in such areas.

HEAD BOX:

Powder Coat White as standard Black as same cost option

SURFACE:

Matrix Ash Grey - Gain 0.65

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

BORDERS:

50mm Sides with 300mm adjustable top black leader

ROLLER DIAMETER:

81mm Heavy Duty

SIZES:

84" to 180" Diagonally, Custom Sizes & Formats available upon request

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team

OPTIONS:


Extra Top Masking, RF RTS Remote, custom powder coat colours

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT kg
0608411-ST5-B	84"	1280 x 1705	Video 4:3	Seek Advice*	26.0
0609611-ST5-B	96"	1460 x 1950	Video 4:3	Seek Advice*	28.0
0610011-ST5-B	100"	1525 x 2035	Video 4:3	Seek Advice*	29.0
0611511-ST5-B	115"	1755 x 2340	Video 4:3	Seek Advice*	34.0
0612011-ST5-B	120"	1830 x 2440	Video 4:3	Seek Advice*	35.0
0613011-ST5-B	130"	1980 x 2640	Video 4:3	Seek Advice*	37.0
0608421-ST5-B	84"	1045 X 1860	HDTV 16:9	Seek Advice*	28.0
0609221-ST5-B	92"	1145 X 2035	HDTV 16:9	Seek Advice*	30.0
0609621-ST5-B	96"	1195 X 2125	HDTV 16:9	Seek Advice*	31.0
0610021-ST5-B	100"	1245 X 2215	HDTV 16:9	Seek Advice*	32.0
0611021-ST5-B	110"	1370 x 2435	HDTV 16:9	Seek Advice*	34.0
0611521-ST5-B	115"	1430 x 2545	HDTV 16:9	Seek Advice*	35.0
0612021-ST5-B	120"	1495 x 2655	HDTV 16:9	Seek Advice*	37.0
0613021-ST5-B	130"	1615 x 2880	HDTV 16:9	Seek Advice*	40.0
0614021-ST5-B	140"	1740 X 3100	HDTV 16:9	Seek Advice*	44.0
0608461-ST5-B	84"	1130 x 1810	16:10	Seek Advice*	27.0
0609261-ST5-B	92"	1240 x 1980	16:10	Seek Advice*	29.0
0609661-ST5-B	96"	1295 x 2070	16:10	Seek Advice*	30.0
0610061-ST5-B	100"	1345 x 2155	16:10	Seek Advice*	32.0
0611061-ST5-B	110"	1480 x 2370	16:10	Seek Advice*	34.0
0612061-ST5-B	120"	1615 x 2585	16:10	Seek Advice*	36.0
0613061-ST5-B	130"	1750 x 2800	16:10	Seek Advice*	39.0
0614061-ST5-B	140"	1885 x 3015	16:10	Seek Advice*	43.0

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

*Should additional leader be required the headbox length will increase



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type B model _____ with Matrix Ash Grey PVC surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions



AUSTRALIA

22-24 Suttor Road

Moss Vale NSW 2577

+61 2 4869 2100

screeentechnics.com.au • info@screeentechnics.com.au

NEW ZEALAND

44 Mahana Road

Te Rapa, Hamilton

+0800 022 821

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

FEATURES:

Matrix Flame Grey is perfect for high light environments or for areas where ambient light is prevalent. City building with floor to ceiling windows is an example where light can be an issue. Matrix Flame Grey improves the brightness and contrast in such areas.

HEAD BOX:

Powder Coat White as standard Black as same cost option

SURFACE:

Matrix Flame Grey - Gain 0.8

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

BORDERS:

50mm Sides with 300mm adjustable top black leader

ROLLER DIAMETER:

81mm Heavy Duty

SIZES:

84" to 140" Diagonally, Custom Sizes & Formats available upon request

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team

OPTIONS:


Extra Top Masking, RF RTS Remote, custom powder coat colours

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT kg
0608414-STB-B	84"	1280 x 1705	Video 4:3	Seek Advice*	26.0
0609614-STB-B	96"	1460 x 1950	Video 4:3	Seek Advice*	28.0
0610014-STB-B	100"	1525 x 2035	Video 4:3	Seek Advice*	29.0
0611514-STB-B	115"	1755 x 2340	Video 4:3	Seek Advice*	34.0
0612014-STB-B	120"	1830 x 2440	Video 4:3	Seek Advice*	35.0
0613014-STB-B	130"	1980 x 2640	Video 4:3	Seek Advice*	37.0
0608424-STB-B	84"	1045 X 1860	HDTV 16:9	Seek Advice*	28.0
0609224-STB-B	92"	1145 X 2035	HDTV 16:9	Seek Advice*	30.0
0609624-STB-B	96"	1195 X 2125	HDTV 16:9	Seek Advice*	31.0
0610024-STB-B	100"	1245 X 2215	HDTV 16:9	Seek Advice*	32.0
0611024-STB-B	110"	1370 x 2435	HDTV 16:9	Seek Advice*	34.0
0611524-STB-B	115"	1430 x 2545	HDTV 16:9	Seek Advice*	35.0
0612024-STB-B	120"	1495 x 2655	HDTV 16:9	Seek Advice*	37.0
0613024-STB-B	130"	1615 x 2880	HDTV 16:9	Seek Advice*	40.0
0614024-STB-B	140"	1740 X 3100	HDTV 16:9	Seek Advice*	44.0
0608464-STB-B	84"	1130 x 1810	16:10	Seek Advice*	27.0
0609264-STB-B	92"	1240 x 1980	16:10	Seek Advice*	29.0
0609664-STB-B	96"	1295 x 2070	16:10	Seek Advice*	30.0
0610064-STB-B	100"	1345 x 2155	16:10	Seek Advice*	32.0
0611064-STB-B	110"	1480 x 2370	16:10	Seek Advice*	34.0
0612064-STB-B	120"	1615 x 2585	16:10	Seek Advice*	36.0
0613064-STB-B	130"	1750 x 2800	16:10	Seek Advice*	39.0
0614064-STB-B	140"	1885 x 3015	16:10	Seek Advice*	43.0

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.

*Should additional leader be required the headbox length will increase



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type B model _____ with Matrix Flame Grey PVC surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions



AUSTRALIA

22-24 Suttor Road

Moss Vale NSW 2577

+61 2 4869 2100

screeentechnics.com.au • info@screeentechnics.com.au

NEW ZEALAND

44 Mahana Road

Te Rapa, Hamilton

+0800 022 821