



ElectriCinema

Side Tension - Type C Version

The ultimate experience in a motorised screen

Sizes 150" - 200"

The side tension system offers the ultimate experience in a motorised projection screen, providing the best possible lay flat with its large diameter roller, and side tensioning system that pulls the screen flat. Suitable for home theatre.

Market Segments:



Corporate **Events**



Government



Worship



Defense



Theatre



CONTROL

Fully integrated with Connect IP, 12V trigger, contact closure and IR plus the ability to link and group switch with other Connect control devices.


SHORT THROW PROJECTORS

The ElectriCinema Side Tension screen is the only retractable screen suitable for use with a short throw projector. For the best results we recommend using the CinemaSnap range.

Benefits include:

- Excellent lay flat
- Quiet operation
- Reliability
- Fully integrated with Connect IP





SPECIFICATIONS **ElectriCinema** - Side Tension - Type C - Unity White PVC

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

SURFACE

Unity White Black Backed PVC - Gain 1.0

HEAD BOX:

BRACKETS:

Powder Coat White as standard Black as same cost option

BORDERS:

50mm Sides with 300mm adjustable top black leader (181" and above have a 100mm bottom border).

One piece clip-on L bracket suitable for wall or ceiling installation

SIZES:

150" to 200" Diagonally, Custom Sizes & Formats available upon request

ROLLER DIAMETER:

110mm Heavy Duty

OPTIONS:

Extra Top Masking, RF RTS Remote, custom powder coat colours

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team

| ITEM NO | INCH DIAGONAL | IMAGE SIZE mm | FORMAT | HEADBOX SIZE mm | WEIGHT Kg |
|---------------|---------------|---------------|-----------|-----------------|-----------|
| 0615019-STS-C | 150" | 2285 x 3050 | Video 4:3 | Seek advice* | 65.0 |
| 0616019-STS-C | 160" | 2440 x 3250 | Video 4:3 | Seek advice* | 68.0 |
| 0617019-STS-C | 170" | 2590 x 3455 | Video 4:3 | Seek advice* | 72.0 |
| 0618019-STS-C | 180" | 2745 x 3660 | Video 4:3 | Seek advice* | 75.0 |
| 0619019-STS-C | 190" | 2895 x 3860 | Video 4:3 | Seek advice* | 79.0 |
| 0620019-STS-C | 200" | 3050 x 4065 | Video 4:3 | Seek advice* | 82.0 |
| 0615029-STS-C | 150" | 1865 x 3320 | HDTV 16:9 | Seek advice* | 70.0 |
| 0616029-STS-C | 160" | 1995 x 3545 | HDTV 16:9 | Seek advice* | 73.0 |
| 0617029-STS-C | 170" | 2115 x 3765 | HDTV 16:9 | Seek advice* | 77.0 |
| 0618029-STS-C | 180" | 2240 x 3985 | HDTV 16:9 | Seek advice* | 0.08 |
| 0619029-STS-C | 190" | 2365 x 4205 | HDTV 16:9 | Seek advice* | 83.0 |
| 0620029-STS-C | 200" | 2490 x 4425 | HDTV 16:9 | Seek advice* | 87.0 |
| 0615069-STS-C | 150" | 2020 x 3230 | 16:10 | Seek advice* | 68.0 |
| 0616069-STS-C | 160" | 2155 x 3450 | 16:10 | Seek advice* | 72.0 |
| 0617069-STS-C | 170" | 2290 x 3665 | 16:10 | Seek advice* | 75.0 |
| 0618069-STS-C | 180" | 2425 x 3880 | 16:10 | Seek advice* | 79.0 |
| 0619069-STS-C | 190" | 2560 x 4095 | 16:10 | Seek advice* | 82.0 |
| 0620069-STS-C | 200" | 2695 x 4310 | 16:10 | Seek advice* | 86.0 |

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type C model____ with Unity White Black Backed PVC surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions





AUSTRALIA

Moss Vale NSW 2577

22-24 Suttor Road

44 Mahana Road Te Rapa, Hamilton

NEW ZEALAND

+61 2 4869 2100

+0800 022 821

^{*}Should additional leader be required the headbox length will increase

SPECIFICATIONS **ElectriCinema** - Side Tension - Type C - Hi-Contrast Grey

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

SURFACI

Hi Contrast Grey PVC - Gain 0.8

HEAD BOX:

Powder Coat White as standard Black as same cost option

BORDERS:

50mm Sides with 300mm adjustable top black leader (181" and above have a 100mm bottom border).

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

SIZES:

150" to 200" Diagonally, Custom Sizes & Formats available upon request

ROLLER DIAMETER:

110mm Heavy Duty

OPTIONS:

Extra Top Masking, RF RTS Remote, custom powder coat colours

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team

| ITEM NO | INCH DIAGONAL | IMAGE SIZE mm | FORMAT | HEADBOX SIZE mm | WEIGHT Kg |
|---------------|---------------|--------------------|-----------|-----------------|-----------|
| 0615018-STS-C | 150" | 2285 x 3050 | Video 4:3 | Seek advice* | 65.0 |
| 0616018-STS-C | 160" | 2440 x 3250 | Video 4:3 | Seek advice* | 68.0 |
| 0617018-STS-C | 170" | 2590 x 3455 | Video 4:3 | Seek advice* | 72.0 |
| 0618018-STS-C | 180" | 2745 x 3660 | Video 4:3 | Seek advice* | 75.0 |
| 0619018-STS-C | 190" | 2895×3860 | Video 4:3 | Seek advice* | 79.0 |
| 0620018-STS-C | 200" | 3050 x 4065 | Video 4:3 | Seek advice* | 82.0 |
| 0615028-STS-C | 150" | 1865 x 3320 | HDTV 16:9 | Seek advice* | 70.0 |
| 0616028-STS-C | 160" | 1995 x 3545 | HDTV 16:9 | Seek advice* | 73.0 |
| 0617028-STS-C | 170" | 2115 x 3765 | HDTV 16:9 | Seek advice* | 77.0 |
| 0618028-STS-C | 180" | 2240 x 3985 | HDTV 16:9 | Seek advice* | 80.0 |
| 0619028-STS-C | 190" | 2365 x 4205 | HDTV 16:9 | Seek advice* | 83.0 |
| 0620028-STS-C | 200" | 2490 x 4425 | HDTV 16:9 | Seek advice* | 87.0 |
| 0615068-STS-C | 150" | 2020 x 3230 | 16:10 | Seek advice* | 68.0 |
| 0616068-STS-C | 160" | 2155 x 3450 | 16:10 | Seek advice* | 72.0 |
| 0617068-STS-C | 170" | 2290 x 3665 | 16:10 | Seek advice* | 75.0 |
| 0618068-STS-C | 180" | 2425 x 3880 | 16:10 | Seek advice* | 79.0 |
| 0619068-STS-C | 190" | 2560 x 4095 | 16:10 | Seek advice* | 82.0 |
| 0620068-STS-C | 200" | 2695 x 4310 | 16:10 | Seek advice* | 86.0 |

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type C model_____ with Hi Contrast Grey PVC surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions





AUSTRALIA NEW ZEALAND

22-24 Suttor Road

44 Mahana Road

Moss Vale NSW 2577

Te Rapa, Hamilton

+61 2 4869 2100

+0800 022 821

^{*}Should additional leader be required the headbox length will increase

SPECIFICATIONS ElectriCinema - Side Tension - Type C - Matrix Ash Grey

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

HEAD BOX:

Powder Coat White as standard Black as same cost option

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

ROLLER DIAMETER:

110mm Heavy Duty

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team

FEATURES

Matrix Ash Grey is perfect for high light environments or for areas where ambient light is prevalent. City building with floor to ceiling windows is an example where light can be an issue. Matrix Ash Grey improves the brightness and contrast in such areas.

SURFACE

Matrix Ash Grey PVC - Gain 0.8

BORDERS:

50mm Sides with 300mm adjustable top black leader (181" and above have a 100mm bottom border).

SIZES:

150" to 180" Diagonally, Custom Sizes & Formats available upon request

OPTIONS:

Extra Top Masking, RF RTS Remote, custom powder coat colours

| ITFM NO | INCH DIAGONAL | IMAGE SIZE mm | FORMAT | HEADBOX SIZE mm | WEIGHT Kg |
|---------------|---------------|---------------|-----------|-----------------|-----------|
| | 150" | 2285 x 3050 | Video 4:3 | Seek advice* | 65.0 |
| 0615011-STS-C | | 2200 X 0000 | | 00011.001100 | |
| 0616011-STS-C | 160" | 2440 x 3250 | Video 4:3 | Seek advice* | 68.0 |
| 0617011-STS-C | 170" | 2590 x 3455 | Video 4:3 | Seek advice* | 72.0 |
| 0611011-STS-C | 180" | 2745 x 3660 | Video 4:3 | Seek advice* | 75.0 |
| 0619011-STS-C | 190" | 2895 x 3860 | Video 4:3 | Seek advice* | 79.0 |
| 0620011-STS-C | 200" | 3050 x 4065 | Video 4:3 | Seek advice* | 82.0 |
| 0615021-STS-C | 150" | 1865 x 3320 | HDTV 16:9 | Seek advice* | 70.0 |
| 0616021-STS-C | 160" | 1995 x 3545 | HDTV 16:9 | Seek advice* | 73.0 |
| 0617021-STS-C | 170" | 2115 x 3765 | HDTV 16:9 | Seek advice* | 77.0 |
| 0611021-STS-C | 180" | 2240 x 3985 | HDTV 16:9 | Seek advice* | 80.0 |
| 0619021-STS-C | 190" | 2365 x 4205 | HDTV 16:9 | Seek advice* | 83.0 |
| 0620021-STS-C | 200" | 2490 x 4425 | HDTV 16:9 | Seek advice* | 87.0 |
| 0615061-STS-C | 150" | 2020 x 3230 | 16:10 | Seek advice* | 68.0 |
| 0616061-STS-C | 160" | 2155 x 3450 | 16:10 | Seek advice* | 72.0 |
| 0617061-STS-C | 170" | 2290 x 3665 | 16:10 | Seek advice* | 75.0 |
| 0611061-STS-C | 180" | 2425 x 3880 | 16:10 | Seek advice* | 79.0 |

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type C model_____ with Matrix Ash Grey PVC surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions





AUSTRALIA NEW ZEALAND

22-24 Suttor Road

44 Mahana Road

Moss Vale NSW 2577

Te Rapa, Hamilton

+61 2 4869 2100

+0800 022 821

^{*}Should additional leader be required the headbox length will increase

SPECIFICATIONS ElectriCinema - Side Tension - Type C - Matrix Flame Grey

Product Features

DESCRIPTION:

Designer Style Motorised Projection Screen with Integrated IP, 12v Trigger, contact closure & IR Remote Control

HEAD BOX:

Powder Coat White as standard Black as same cost option

BRACKETS:

One piece clip-on L bracket suitable for wall or ceiling installation

ROLLER DIAMETER:

110mm Heavy Duty

TOP LEADER:

Standard top leader on all screens is 300mm. Set at 50mm in the factory. Additional leader can be ordered, contact the sales team

FFATURES

Matrix Flame Grey is perfect for high light environments or for areas where ambient light is prevalent. City building with floor to ceiling windows is an example where light can be an issue. Matrix Flame Grey improves the brightness and contrast in such areas.

SURFACE

Matrix Flame Grey PVC - Gain 0.8

BORDERS:

50mm Sides with 300mm adjustable top black leader (181" and above have a 100mm bottom border).

SIZES

150" to 180" Diagonally, Custom Sizes & Formats available upon request

OPTIONS:

Extra Top Masking, RF RTS Remote, custom powder coat colours

| ITEM NO | INCH DIAGONAL | IMAGE SIZE mm | FORMAT | HEADBOX SIZE mm | WEIGHT Kg |
|---------------|---------------|---------------|-----------|-----------------|-----------|
| 0615014-STS-C | 150" | 2285 x 3050 | Video 4:3 | Seek advice* | 65.0 |
| 0616014-STS-C | 160" | 2440 x 3250 | Video 4:3 | Seek advice* | 68.0 |
| 0617014-STS-C | 170" | 2590 x 3455 | Video 4:3 | Seek advice* | 72.0 |
| 0618014-STS-C | 180" | 2745 x 3660 | Video 4:3 | Seek advice* | 75.0 |
| 0619014-STS-C | 190" | 2895 x 3860 | Video 4:3 | Seek advice* | 79.0 |
| 0620014-STS-C | 200" | 3050 x 4065 | Video 4:3 | Seek advice* | 82.0 |
| 0615024-STS-C | 150" | 1865 x 3320 | HDTV 16:9 | Seek advice* | 70.0 |
| 0616024-STS-C | 160" | 1995 x 3545 | HDTV 16:9 | Seek advice* | 73.0 |
| 0617024-STS-C | 170" | 2115 x 3765 | HDTV 16:9 | Seek advice* | 77.0 |
| 0618024-STS-C | 180" | 2240 x 3985 | HDTV 16:9 | Seek advice* | 80.0 |
| 0619024-STS-C | 190" | 2365 x 4205 | HDTV 16:9 | Seek advice* | 83.0 |
| 0620024-STS-C | 200" | 2490 x 4425 | HDTV 16:9 | Seek advice* | 87.0 |
| 0615064-STS-C | 150" | 2020 x 3230 | 16:10 | Seek advice* | 68.0 |
| 0616064-STS-C | 160" | 2155 x 3450 | 16:10 | Seek advice* | 72.0 |
| 0617064-STS-C | 170" | 2290 x 3665 | 16:10 | Seek advice* | 75.0 |
| 0618064-STS-C | 180" | 2425 x 3880 | 16:10 | Seek advice* | 79.0 |

Manufacturing tolerance +/- 5mm on headbox & slatrod.

All dimensions are in (mm). If installed in ceiling always allow for removal for servicing.



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ElectriCinema Side Tension Type C model____with Matrix Flame Grey PVC surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions





AUSTRALIA NEW ZEALAND

22-24 Suttor Road

44 Mahana Road

Moss Vale NSW 2577

Te Rapa, Hamilton

+61 2 4869 2100

+0800 022 821

^{*}Should additional leader be required the headbox length will increase