



MasterFit

C

Convenient one-stop installation

SIZES 160" - 220"

An integrated in-ceiling screen solution designed for installation from within the ceiling. Uses a custom designed aluminium box for a lightweight solution, yet still provides structural integrity.

MasterFit



Market Segments:



Home
Entertainment



Education



Government



Defense



Boardroom




Corporate

Benefits include:

- Fully integrated with IR
- 12V trigger
- Contact closure
- Option to upgrade to Connect IP control





Manufacturing tolerance +/- 5mm on in ceiling box and slatrod
All dimensions are in (mm)
Always allow for removal of screen for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.


Date	Part Number	Rev
23/05/2024	MFxxxxx-C	03

Product Features

- An integrated in ceiling screen solution designed for a one-stop installation from within the ceiling space
- Utilises a custom designed aluminium box for lightweight solution but still providing structural integrity
- Connect Infra red and dry contact control as standard - upgradeable to Connect IP control
- Custom sizes available

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	BOX LENGTH mm	BOX HEIGHT mm	BOX DEPTH mm	WEIGHT kg
MF16019-C	160"	2440 x 3250	Video 4:3	3642	175	200	66.0
MF17019-C	170"	2590 x 3454	Video 4:3	3846	175	200	69.0
MF18019-C	180"	2745 x 3660	Video 4:3	4052	175	200	73.0
MF19019-C	190"	2895 x 3860	Video 4:3	4252	175	200	76.0
MF20019-C	200"	3050 x 4065	Video 4:3	4457	175	200	79.0
MF21019-C	210"	3200 x 4265	Video 4:3	4657	175	200	83.0
MF22019-C	220"	3355 x 4470	Video 4:3	4862	175	200	87.0
MF16029-C	160"	1992 x 3542	HDTV 16:9	3942	175	200	69.0
MF17029-C	170"	2117 x 3763	HDTV 16:9	4163	175	200	73.0
MF18029-C	180"	2241 x 3985	HDTV 16:9	4385	175	200	76.0
MF19029-C	190"	2366 x 4206	HDTV 16:9	4606	175	200	80.0
MF20029-C	200"	2491 x 4428	HDTV 16:9	4828	175	200	83.0
MF21029-C	210"	2615 x 4649	HDTV 16:9	5049	175	200	87.0
MF22029-C	220"	2740 x 4870	HDTV 16:9	5270	175	200	91.0
MF16069-C	160"	2154 x 3446	16:10	3846	175	200	68.0
MF17069-C	170"	2289 x 3662	16:10	4062	175	200	72.0
MF18069-C	180"	2423 x 3877	16:10	4277	175	200	75.0
MF19069-C	190"	2558 x 4092	16:10	4492	175	200	79.0
MF20069-C	200"	2692 x 4308	16:10	4708	175	200	82.0
MF21069-C	210"	2827 x 4523	16:10	4923	175	200	86.0
MF22069-C	220"	2962 x 4739	16:10	5139	175	200	90.0

Manufacturing tolerance +/- 5mm on in ceiling box and slatrod
 All dimensions are in (mm)
 Always allow for removal of screen for servicing.



ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics MasterFit Type C model _____ with Unity White PVC surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions.