

ViewMaster Pro

Type 1

Greater versatility in a cost-efficient screen

SIZES 84" TO 115" DIAGONAL

The ViewMaster Pro size range has been increased to offer even greater versatility in a cost-efficient screen.

The ViewMaster Pro offers multi-position brackets, both wall and ceiling, for simple installation, and is available with an optional in-ceiling screen box for all sizes.



Market Segments:



Home
Entertainment



Education



Government



Defense




Boardroom



Corporate

Benefits include:

- Universal bracket system
- Quiet motor system, C tick approved
- Premium slat rod design
- Integrated IR, contact closure control and 12V trigger
- Fire-rated surface
- Low VOC, water-based, black border paint
- ViewMaster Pro offers many of the control options needed in the audio-visual environment.



Manufacturing tolerance +/- 5mm on headbox and slatrod
All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date	Rev
09/01/2020	03

Product Features

HEADBOX:
Powder Coat White as standard

ROLLER DIAMETER:
63mm Heavy Duty

SURFACE:
Unity White Fibreglass Screen - Gain 1.1 Front Projection
(Black Backed)

SIZES:
84" to 115", Custom sizes, additional leaders & Formats
available upon request

BORDERS:
50mm Sides & Bottom with 300mm adjustable top black
leader

NOTE:
Optional screen box available for in ceiling installation


ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT kg
4508419-1	84"	1280 x 1705	Video 4:3	1985	17
4509619-1	96"	1460 x 1950	Video 4:3	2230	18
4510019-1	100"	1525 x 2035	Video 4:3	2315	19
4511019-1	110"	1675 x 2235	Video 4:3	2515	21
4511519-1	115"	1755 x 2340	Video 4:3	2620	23
4508429-1	84"	1045 x 1860	HDTV 16:9	2140	17
4508529-1	85"	1060 x 1880	HDTV 16:9	2160	17
4509229-1	92"	1145 x 2030	HDTV16:9	2310	18
4509629-1	96"	1195 x 2125	HDTV 16:9	2405	19
4510029-1	100"	1245 x 2215	HDTV 16:9	2495	19
4510229-1	102"	1270 x 2260	HDTV 16:9	2540	19
4511029-1	110"	1370 x 2435	HDTV 16:9	2715	21
4511229-1	112"	1395 x 2480	HDTV 16:9	2760	23
4508469-1	84"	1130 x 1810	16:10	2090	17
4509469-1	94"	1265 x 2025	16:10	2305	18
4509669-1	96"	1295 x 2070	16:10	2350	19
4510069-1	100"	1345 x 2155	16:10	2435	19
4510369-1	103"	1385 x 2220	16:10	2500	20
4511069-1	110"	1480 x 2370	16:10	2650	22
4511569-1	115"	1550 x 2480	16:10	2760	23

ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ViewMaster Pro Type 1 model _____ with Unity White Black Backed fibreglass surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions.

Manufacturing tolerance +/- 5mm on headbox and slatrod

All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.



Product Features

HEADBOX:
Powder Coat White as standard

ROLLER DIAMETER:
63mm Heavy Duty

SURFACE:
Hi-Contrast Grey Blacked Backed Fiberglass - Gain 0.8

SIZES:
84" to 115", Custom sizes, additional leaders & Formats available upon request

BORDERS:
50mm Sides & Bottom with 300mm adjustable top black leader

NOTE:
Optional screen box available for in ceiling installation


ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT kg
4508418-1	84"	1280 x 1705	Video 4:3	1985	17
4509618-1	96"	1460 x 1950	Video 4:3	2230	18
4510018-1	100"	1525 x 2035	Video 4:3	2315	19
4511018-1	110"	1675 x 2235	Video 4:3	2515	21
4511518-1	115"	1755 x 2340	Video 4:3	2620	23
4508428-1	84"	1045 x 1860	HDTV 16:9	2140	17
4508528-1	85"	1060 x 1880	HDTV 16:9	2160	17
4509228-1	92"	1145 x 2030	HDTV16:9	2310	18
4509628-1	96"	1195 x 2125	HDTV 16:9	2405	19
4510028-1	100"	1245 x 2215	HDTV 16:9	2495	19
4510228-1	102"	1270 x 2260	HDTV 16:9	2540	19
4511028-1	110"	1370 x 2435	HDTV 16:9	2715	21
4511228-1	112"	1395 x 2480	HDTV 16:9	2760	23
4508468-1	84"	1130 x 1810	16:10	2090	17
4509468-1	94"	1265 x 2025	16:10	2305	18
4509668-1	96"	1295 x 2070	16:10	2350	19
4510068-1	100"	1345 x 2155	16:10	2435	19
4510368-1	103"	1385 x 2220	16:10	2500	20
4511068-1	110"	1480 x 2370	16:10	2650	22
4511568-1	115"	1550 x 2480	16:10	2760	23

ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ViewMaster Pro Type 1 model _____ with Hi-Contrast Grey fiberglass surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions.

Manufacturing tolerance +/- 5mm on headbox and slatrod

All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.



Product Features

HEADBOX:
Powder Coat White as standard

ROLLER DIAMETER:
63mm Heavy Duty

SURFACE:
Ember Grey Fibreglass

SIZES:
84" to 115", Custom sizes, additional leaders & Formats available upon request

BORDERS:
50mm Sides & Bottom with 300mm adjustable top black leader

NOTE:
Optional screen box available for in ceiling installation

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT kg
4508412-1	84"	1280 x 1705	Video 4:3	1985	17
4509612-1	96"	1460 x 1950	Video 4:3	2230	18
4510012-1	100"	1525 x 2035	Video 4:3	2315	19
4511012-1	110"	1675 x 2235	Video 4:3	2515	21
4511512-1	115"	1755 x 2340	Video 4:3	2620	23
4508422-1	84"	1045 x 1860	HDTV 16:9	2140	17
4508522-1	85"	1060 x 1880	HDTV 16:9	2160	17
4509222-1	92"	1145 x 2030	HDTV16:9	2310	18
4509622-1	96"	1195 x 2125	HDTV 16:9	2405	19
4510022-1	100"	1245 x 2215	HDTV 16:9	2495	19
4510222-1	102"	1270 x 2260	HDTV 16:9	2540	19
4511022-1	110"	1370 x 2435	HDTV 16:9	2715	21
4511222-1	112"	1395 x 2480	HDTV 16:9	2760	23
4508462-1	84"	1130 x 1810	16:10	2090	17
4509462-1	94"	1265 x 2025	16:10	2305	18
4509662-1	96"	1295 x 2070	16:10	2350	19
4510062-1	100"	1345 x 2155	16:10	2435	19
4510362-1	103"	1385 x 2220	16:10	2500	20
4511062-1	110"	1480 x 2370	16:10	2650	22
4511562-1	115"	1550 x 2480	16:10	2760	23

ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ViewMaster Pro Type 1 model _____ with Ember Grey fibreglass surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions.

Manufacturing tolerance +/- 5mm on headbox and slatrod

All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

