



## ViewMaster Pro Type 3

Greater versatility in a cost-efficient screen

SIZES 151" TO 230" DIAGONAL

The ViewMaster Pro size range has been increased to offer even greater versatility in a cost-efficient screen.

The ViewMaster Pro offers multi-position brackets, both wall and ceiling, for simple installation, and is available with an optional in-ceiling screen box for all sizes.

# ViewMaster



### Market Segments:



Home  
Entertainment



Education



Government



Defense



Boardroom




Corporate

### Benefits include:

- Universal bracket system
- Quiet motor system, C tick approved
- Premium slat rod design
- Integrated IR, contact closure control and 12V trigger
- Fire-rated surface
- Low VOC, water-based, black border paint
- ViewMaster Pro offers many of the control options needed in the audio-visual environment.
- **Seamless** black backed surface up to and including 180"





Manufacturing tolerance +/- 5mm on headbox & slatrod  
All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date  
16/07/19

Rev  
02

## Product Features

**HEADBOX:**  
Powder Coat White as standard

**SURFACE:**  
**Seamless** Unity white black backed fibreglass Gain 1.0 up to 180"  
Unity white PVC (not black backed) Gain 1 above 180"

**ROLLER DIAMETER:**  
110mm Heavy Duty

**SIZES:**  
160" to 230", Custom sizes, additional leaders & Formats available upon request

**BORDERS:**  
50mm Sides & Bottom with 300mm adjustable top black leader

**OPTIONS:**  
Optional screen box available for in ceiling installation

ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	HEADBOX SIZE mm	WEIGHT Kg
4516019-3	160"	2440 x 3250	Video 4:3	3650	58
4517019-3	170"	2590 x 3455	Video 4:3	3855	62
4518019-3	180"	2745 x 3660	Video 4:3	4060	65
4519019-3	190"	2895 x 3860	Video 4:3	4260	68
4520019-3	200"	3050 x 4065	Video 4:3	4465	72
4521019-3	210"	3200 x 4265	Video 4:3	4665	75
4522019-3	220"	3355 x 4470	Video 4:3	4870	78
4523019-3	230"	3505 x 4675	Video 4:3	5075	81
4516029-3	160"	1995 x 3545	HDTV 16:9	3945	63
4517029-3	170"	2115 x 3765	HDTV 16:9	4165	67
4518029-3	180"	2240 x 3985	HDTV 16:9	4385	70
4519029-3	190"	2365 x 4205	HDTV 16:9	4605	73
4520029-3	200"	2490 x 4425	HDTV 16:9	4825	77
4521029-3	210"	2615 x 4650	HDTV 16:9	5050	81
4522029-3	220"	2740 x 4870	HDTV 16:9	5270	85
4516069-3	160"	2155 x 3450	16:10	3850	62
4517069-3	170"	2290 x 3665	16:10	4065	65
4518069-3	180"	2425 x 3880	16:10	4280	69
4519069-3	190"	2560 x 4095	16:10	4495	72
4520069-3	200"	2695 x 4310	16:10	4710	76
4521069-3	210"	2830 x 4525	16:10	4925	79
4522069-3	220"	2965 x 4740	16:10	5140	82

### ARCHITECTS SPECIFICATION

The projection screen shall be an Australian made Screen Technics ViewMaster Pro Type 3 model \_\_\_\_\_ with Matt White PVC surface and shall be located where indicated on the plans. Installation shall be done in accordance with the manufacturer's instructions.

Manufacturing tolerance +/- 5mm on headbox & slatrod  
All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

